

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	716	399/330,331,333.ccls.	USPAT; US-PGP UB
2	BRS	L2	492	399/328.ccls.	USPAT; US-PGP UB
3	BRS	L3	369	2 not 1	USPAT; US-PGP UB
4	BRS	L4	309	399/329.ccls.	USPAT; US-PGP UB
5	BRS	L5	216	4 not (1 or 2)	USPAT; US-PGP UB
6	BRS	L6	490	118/60.ccls.	USPAT; US-PGP UB
7	BRS	L7	429	6 not (1 or 2 or 4)	USPAT; US-PGP UB
8	BRS	L8	88	347/156.ccls.	USPAT; US-PGP UB
9	BRS	L9	79	8 not (1 or 2 or 4 or 6)	USPAT; US-PGP UB
10	BRS	L10	1678	219/216.ccls.	USPAT; US-PGP UB
11	BRS	L11	1063	10 not (1 or 2 or 4 or 6 or 8)	USPAT; US-PGP UB
12	BRS	L12	735	219/243,255.ccls.	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	724	12 not (1 or 2 or 4 or 6 or 8 or 10)	USPAT; US-PGP UB
14	BRS	L14	596	219/469,470.ccls.	USPAT; US-PGP UB
15	BRS	L15	291	14 not (1 or 2 or 4 or 6 or 8 or 10 or 12)	USPAT; US-PGP UB
16	BRS	L16	229	492/27,28.ccls.	USPAT; US-PGP UB
17	BRS	L17	217	16 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14)	USPAT; US-PGP UB
18	BRS	L18	322	492/46.ccls.	USPAT; US-PGP UB
19	BRS	L19	263	18 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14 or 16)	USPAT; US-PGP UB
20	BRS	L20	15885	(crown\$3 or convex\$4) near4 (roll\$3 or rod\$1 or cylind\$7)	USPAT; US-PGP UB
21	BRS	L21	13742	(thickness or diameter\$1) with (center\$1 or central) with (end\$1 ro edge\$1) with (roll\$3 or rod\$1 or cylind\$7)	USPAT; US-PGP UB
22	BRS	L22	1260	20 same (layer\$1 or coat\$3)	USPAT; US-PGP UB
23	BRS	L23	699	21 same (layer\$1 or coat\$3)	USPAT; US-PGP UB
24	BRS	L24	1902	22 or 23	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
25	BRS	L25	131	24 and 399/\$3.ccls.	USPAT; US-PGP UB
26	BRS	L26	65	24 and 219/\$6.ccls.	USPAT; US-PGP UB
27	BRS	L27	45	26 not 25	USPAT; US-PGP UB
28	BRS	L28	107	24 and 118/\$6.ccls.	USPAT; US-PGP UB
29	BRS	L29	100	28 not (25 or 26)	USPAT; US-PGP UB
30	BRS	L30	78	24 and 492/\$6.ccls.	USPAT; US-PGP UB
31	BRS	L31	50	30 not (25 or 26 or 28)	USPAT; US-PGP UB
32	BRS	L32	23558	g03g015/20.ipc.	EPO; JPO
33	BRS	L33	3606	(crown\$3 or convex\$4) near4 (roll\$3 or rod\$1 or cylind\$7)	EPO; JPO
34	BRS	L34	2631	(thickness or diameter\$1) with (center\$1 or central) with (end\$1 ro edge\$1) with (roll\$3 or rod\$1 or cylind\$7)	EPO; JPO
35	BRS	L35	6130	33 or 34	EPO; JPO
36	BRS	L36	170	35 and 32	EPO; JPO
37	BRS	L37	3120	(roll\$3 near3 (inside or inner or internal\$2)) with (press\$4 or fus\$5 or fix\$5)	EPO; JPO
38	BRS	L38	668	32 and 37	EPO; JPO
39	BRS	L39	33	38 and (space\$1 or cavit\$3)	EPO; JPO